LAMINATED GLASS by LAURIER ARCHITECTURAL INC.

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 08 80 50

PRODUCT DESCRIPTION: Laminated glass by Laurier Architectural Inc. is a safety glass that will hold together when shattered. It is made of two or more pieces of glass with an interlayer in between. In architecture, it is used for fenestration in height and in applications where glass is used as railing. It can also have acoustic properties. This HPD covers all possible variations of Laurier Architectural Inc.'s laminated glass, except those including mirrors.



Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 100 ppm
- 1,000 ppm
- Per GHS SDS
- C Per OSHA MSDS
- C Other

Residuals/Impurities

Residuals/Impurities Considered in 3 of 4 Materials

Explanation(s) provided for Residuals/Impurities?

• Yes • No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances.

Screened

○ Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

O Yes Ex/SC O Yes O No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

GLASS [SILICA, AMORPHOUS LT-P1 | CAN SODIUM OXIDE LT-UNK CALCIUM OXIDE LT-P1 MAGNESIUM OXIDE LT-UNK | CAN SODIUM SULFATE LT-UNK FERRIC OXIDE BM-2 | CAN CARBON LT-UNK ALUMINUM OXIDE LT-P1 | RES] LAMINATED FILM [ACETIC ACID ETHENYL ESTER, POLYMER WITH 1,1-BIS(ETHENYLOXY)BUTANE AND ETHENOL LT-UNK 2,2'-ETHYLENEDIOXYDIETHYL BIS(2-ETHYLHEXANOATE) LT-UNK CALCIUM CARBONATE BM-3 ANATASE TITANIUM DIOXIDE LT-1 | CAN | COATING #3 [UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-1 | CAN | END UNDISCLOSED LT-1 | RES | CAN UNDISCLOSED LT-1 | CAN | PBT | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED BM-2 | RES UNDISCLOSED LT-UNK UNDISCLOSED BM-2 | SKI | EYE | END UNDISCLOSED LT-P1 | EYE | END UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL] COATING #4 [FRITS, CHEMICALS LT-P1 | MUL CYCLOHEXANONE LT-P1 | END | CAN DIPROPYLENE GLYCOL MONOMETHYL ETHER LT-UNK 2-(2-BUTOXYETHOXY)ETHANOL LT-P1 | EYE | END C.I. PIGMENT BLUE 28 LT-1 | RES | CAN | GEN C.I. PIGMENT BLACK 28 LT-UNK RUTILE, ANTIMONY CHROMIUM BUFF LT-UNK C.I. PIGMENT GREEN 50 LT-1 | RES | CAN | GEN TITANIUM DIOXIDE LT-1 | CAN | END NICKEL RUTILE YELLOW LT-1 | CAN | RES ISOBUTYL ALCOHOL BM-2 | SKI | EYE]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product.Laminated glass by Laurier Architectural Inc. contains special conditions materials, reaction products (coatings) and float glass. Guidelines for reporting Special Conditions materials are still under development by the HPDC. Laurier Architectural Inc. will update the HPD accordingly once these guidelines get published. Known residuals and impurities; have been disclosed at 1,000 ppm. More details about how residuals and impurities were considered available in the appropriate section. Variations in the composition of Laminated Glass [type of glass and type of coating (if present)] introduce ranges in the content inventory section.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Third Party Verified?

PREPARER: Vertima

C Yes

VERIFIER:

PUBLISHED DATE: 2020-02-04 EXPIRY DATE: 2021-09-24

SCREENING DATE: 2018-09-24

No VERIFICATION #:



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

GLASS %: 92.67 - 97.22

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Supplier #1: Supplier #1 confirms that there are no residuals or impurities remaining on the acid-etched glass surface following the etching process. Supplier #2: Traces of Carbon, Silicon, Aluminum, Oxygen, Nitrogen, Nickel, Chromium, Silver, Zinc, Zirconium and Titanium are used to form thin layers on Soft Coat glass products; however, those materials are all less than 0.1% by weight and are exempt from hazardous ingredient reporting requirements according to the OSHA Hazard Communication standard. Although present in trace amounts, the primary hazards from the substances present would be the same as for un-coated glass products. Supplier #3: The supplier #3 raw float/flat glass may contain the contaminants chromium, cadmium, and/or lead (derived from very minuscule amounts of mined raw materials such as silica or limestone) at significantly less than the threshold limits for RoHs. These metals are the only RoHS hazardous substances that have the potential to be in the glass -- typically undetected or in the parts par billion range. Supplier #4: No impurities or residuals identified by this supplier. Supplier #5: The supplier #5 declares that Pb, Cr, As, Sb, V and Cd are never present at levels greater than 20ppm.Co, Se and Ni may be added to impart colour to some tinted glasses. Co is never present at a concentration greater than 200ppm and Se at more than 50ppm. Ni is typically not present at levels greater than 200ppm, but may be at 1000ppm in some specific dark grey products.

HPD URL: N/A

other material notes: The main material used is soda-lime glass. The composition disclosed below corresponds to an average and generic composition for soda-lime glass.

SILICA, AMORPHOUS				ID: 7631-86-
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREENING	DATE: 2018-	09-24
%: 69.00 - 74.00	GS: LT-P1	RC: None N	iano: No	ROLE: Network former
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	Japan - GHS	Carcinogenic	city - Catego	ry 1A
CANCER	Australia - GHS	H350i - May	cause cance	r by inhalation

SODIUM OXIDE ID: 1313-59-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2018-09-24 %: 12.00 - 16.00 GS: LT-UNK RC: None NANO: No **ROLE: Fluxing agent**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

SUBSTANCE NOTES: See other material notes

None found

CALCIUM OXIDE ID: 1305-78-8

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2018	-09-24
%: 5.00 - 12.00	GS: LT-P1	RC: None	NANO: No	ROLE: Network modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	s found on HPD Priority Hazard Lists

SUBSTANCE NOTES: See other material notes

MAGNESIUM OXIDE ID: 1309-48-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-24			
%: 0.00 - 6.00	GS: LT-UNK	RC: None	nano: No	ROLE: Network modifier	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	MAK		gen Group 4 - No er MAK/BAT lev	on-genotoxic carcinogen with low els	

SUBSTANCE NOTES: See other material notes

SODIUM SULFATE ID: 7757-82-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-24		
%: 0.00 - 1.00	GS: LT-UNK	RC: None	nano: No	ROLE: Fining agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings four	nd on HPD Priority Hazard Lists
SUBSTANCE NOTES: See o	ther material notes			

FERRIC OXIDE ID: 1309-37-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREE	ENING DATE: 2018-	09-24
%: 0.00 - 1.00	GS: BM-2	RC: None	nano: No	ROLE: Coloring agent

No warnings found on HPD Priority Hazard Lists

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

CARBON ID: 7440-44-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-24		
%: 0.00 - 1.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Reducing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings fo	und on HPD Priority Hazard Lists

SUBSTANCE NOTES: See other material notes

SUBSTANCE NOTES: See other material notes

ALUMINUM OXIDE ID: 1344-28-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DAT	TE: 2018-09-24
%: 0.00 - 3.00	GS: LT-P1	RC: None	NANO: No	ROLE: Durability/viscocity/ workability enhancer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNING	GS
RESPIRATORY	AOEC - Asthmagens		Asthm	agen (Rs) - sensitizer-induced

SUBSTANCE NOTES: See other material notes

LAMINATED FILM %: 2.78 - 7.41

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: NO

RESIDUALS AND IMPURITIES NOTES: Information about impurities and residuals not provided by manufacturer.

HPD URL: N/A

OTHER MATERIAL NOTES: Clear laminate for safety glass

ACETIC ACID ETHENYL ESTER, POLYMER WITH 1,1-BIS(ETHENYLOXY)BUTANE AND ETHENOL

ID: 27360-07-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-09-24

%: 70.00 - 80.00

GS: LT-UNK

RC: None NANO: No ROLE: Main ingredient

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists

2,2'-ETHYLENEDIOXYDIETHYL BIS(2-ETHYLHEXANOATE)

ID: **94-28-0**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	NING DATE: 2018-0	9-24
%: 15.00 - 30.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		1	lo warnings found	on HPD Priority Hazard Lists

SUBSTANCE NOTES: See other material notes

SUBSTANCE NOTES: See other material notes

CALCIUM CARBONATE				ID: 471-34-
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2018-09-24				
%: 0.00 - 5.00	gs: BM-3	RC: None	nano: No	ROLE: Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		1	No warnings found	on HPD Priority Hazard Lists

HAZARD SCREENING METHOD:	HAZARD SCREEN	NING DATE: 2018-0	9-24	
%: 0.00 - 2.00			nano: No	ROLE: Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupation	al Carcinogen	
CANCER	CA EPA - Prop 65	Carcinogen	- specific to chem	ical form or exposure route
CANCER	IARC	Group 2B - occupationa	, ,	enic to humans - inhaled from
CANCER	MAK	•	Group 3A - Evider	nce of carcinogenic effects MAK/BAT value

COATING #3 %: 0.00 - 1.01

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: The manufacturer indicated that there were no residual substances or impurities.

HPD URL: N/A

OTHER MATERIAL NOTES: Alternative coating to coating #4. Decorative coating. Composition protected by a NDA. Ranges provided to protect the exact composition.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-24		
%: 60.00 - 77.00	GS: LT-P1	RC: None	nano: No	ROLE: Primary component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS	
MULTIPLE	German FEA - Substances Hazardous to Waters) Class	2 - Hazard to W	aters

SUBSTANCE NOTES: Please refer to other material notes.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-24		
%: 0.00 - 8.00	GS: LT-1	RC: None NANO: No ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		

SUBSTANCE NOTES: Please refer to other material notes.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	HAZARD SCREENING DATE: 2018-09-24		
%: 0.00 - 5.00	GS: LT-1	RC: None	nano: No	ROLE: Pigment	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen

SUBSTANCE NOTES: Please refer to other material notes.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-24		
%: 0.00 - 10.00	GS: LT-1	RC: None NANO: No ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans		
CANCER	CA EPA - Prop 65	Carcinogen		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen		
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
CANCER	Korea - GHS	Carcinogenicity - Category 1 [H350 - May cause cancer		
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens		
CANCER	Australia - GHS	H350 - May cause cancer		

SUBSTANCE NOTES: Please refer to other material notes.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2018-09-24		
%: 0.00 - 8.00	GS: LT-UNK	RC: None	nano: No	ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No warnings found on HPD Priority Hazard Lists			

SUBSTANCE NOTES: Please refer to other material notes.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2018-09-24			
%: 0.00 - 20.00	gs: LT-UNK	RC: None	nano: No	ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No	warnings found o	n HPD Priority Hazard Lists		

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2018-09-24			
%: 0.00 - 10.00	GS: BM-2	RC: None	nano: No	ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
RESPIRATORY	AOEC - Asthmagens	Asthmagen (R	Asthmagen (Rs) - sensitizer-induced			

SUBSTANCE NOTES: Please refer to other material notes.

SUBSTANCE NOTES: Please refer to other material notes.

UNDISCLOSED

HAZARD SCREENING METHOD:	HAZARD SCREEN	HAZARD SCREENING DATE: 2018-09-24		
%: 0.00 - 15.00	gs: LT-UNK	RC: None	nano: No	ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found on	HPD Priority Hazard Lists
SURSTANCE NOTES: Please	refer to other material notes			

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-24			
%: 0.00 - 3.00	GS: BM-2	RC: None	RC: None NANO: No ROLE: Solvent		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes	H315 - Causes skin irritation		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes	H319 - Causes serious eye irritation		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			

SUBSTANCE NOTES: Please refer to other material notes.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-24		
%: 0.00 - 17.00	gs: LT-P1	RC: None	nano: No	ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		

SUBSTANCE NOTES: Please refer to other material notes.

UNDISCLOSED

HAZARD SCREENING METHOD:	HAZARD SCREENING DATE: 2018-09-24			
%: 0.00 - 8.00	gs: LT-UNK	RC: None	nano: No	ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		Nov	warnings found on	HPD Priority Hazard Lists

SUBSTANCE NOTES: Please refer to other material notes.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-24		
GS: LT-P1	RC: None	nano: No	ROLE: Solvent	
AGENCY AND LIST TITLES	WARNINGS			
German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters			
	GS: LT-P1 AGENCY AND LIST TITLES German FEA - Substances Hazardous to	GS: LT-P1 RC: None AGENCY AND LIST TITLES WARNINGS German FEA - Substances Hazardous to Class 2 - Hazar	GS: LT-P1 RC: None NANO: No AGENCY AND LIST TITLES WARNINGS German FEA - Substances Hazardous to Class 2 - Hazard to Waters	

SUBSTANCE NOTES: Please refer to other material notes.

COATING #4 %: 0.00 - 0.23

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: The manufacturer indicated that there were no residual substances or impurities.

HPD URL: N/A

OTHER MATERIAL NOTES: Alternative coating to coating #3. Decorative coating. Ceramic ink. Includes all color options.

FRITS, CHEMICALS ID: 65997-18-4

HAZARD SCREENING METHOD: Pharos C	themical and Materials Library	HAZARD SCREEN	IING DATE: 2018-	09-24
%: 30.00 - 50.00	GS: LT-P1	RC: None	nano: No	ROLE: Inorganic binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 -	Hazard to Wate	ers

SUBSTANCE NOTES: See other material notes

CYCLOHEXANONE	ID: 108-94-1
---------------	---------------------

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-24		
%: 10.00 - 20.00	GS: LT-P1	RC: None	nano: No	ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CANCER	MAK	•	roup 3B - Evidence ent for classificatio	of carcinogenic effects

SUBSTANCE NOTES: See other material notes

DIPROPYLENE GLYCOL MONOMETHYL ETHER

ID: 34590-94-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-24		
%: 10.00 - 30.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found or	HPD Priority Hazard Lists

 $\hbox{\scriptsize {\tt SUBSTANCE\ NOTES:}}\ \textbf{See other material\ notes}$

2-(2-BUTOXYETHOXY)ETHANOL

ID: 112-34-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-24		
%: 5.00 - 10.00	GS: LT-P1	RC: None	NANO: No	ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes	serious eye irritatio	on
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endo	crine Disruptor	

C.I. PIGMENT BLUE 28	ID: 1345-16-0
----------------------	----------------------

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2018-09-24		
%: 0.00 - 30.00	GS: LT-1	RC: None	nano: No	ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G	i) - generally acce	oted	
CANCER	MAK	Carcinogen G man	Carcinogen Group 2 - Considered to be carcinogenic for man		
RESPIRATORY	MAK	Sensitizing Su sensitization	Sensitizing Substance Sah - Danger of airway & skin sensitization		
GENE MUTATION	MAK	Germ Cell Mu	tagen 3a		

SUBSTANCE NOTES: See other material notes

C.I. PIGMENT BLACK 28 ID: 68186-91-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2018-09-24		
%: 0.00 - 30.00	GS: LT-UNK	RC: None	nano: No	ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No	warnings found o	n HPD Priority Hazard Lists	
SUBSTANCE NOTES: See ot	her material notes				

RUTILE, ANTIMONY CHROMIUM BUFF

ID: 68186-90-3

HAZARD SCREENING METHOD:	HAZARD SCREENING DATE: 2018-09-24			
%: 0.00 - 30.00	gs: LT-UNK	RC: None	nano: No	ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found o	n HPD Priority Hazard Lists
SUBSTANCE NOTES: See of	ner material notes			

C.I. PIGMENT GREEN 50

ID: **68186-85-6**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENII	HAZARD SCREENING DATE: 2018-09-24		
%: 0.00 - 30.00	GS: LT-1	RC: None	nano: No	ROLE: Pigment	

AGENCY AND LIST TITLES	WARNINGS
AOEC - Asthmagens	Asthmagen (G) - generally accepted
IARC	Group 1 - Agent is Carcinogenic to humans
CA EPA - Prop 65	Carcinogen
MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MAK	Germ Cell Mutagen 3a
US NIH - Report on Carcinogens	Known to be a human Carcinogen
AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
	AOEC - Asthmagens IARC CA EPA - Prop 65 MAK MAK MAK US NIH - Report on Carcinogens

SUBSTANCE NOTES: See other material notes

TITANIUM DIOXIDE	ID: 13463-67-7
------------------	-----------------------

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2018-09-24		
%: 0.00 - 30.00	GS: LT-1	RC: None	nano: No	ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	US CDC - Occupational Carcinogens	Occupational	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen -	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential End	locrine Disruptor		
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value			
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels			
CANCER ENDOCRINE CANCER	TEDX - Potential Endocrine Disruptors MAK	Carcinogen - specific to chemical form or exposure Group 2B - Possibly carcinogenic to humans - inha occupational sources Potential Endocrine Disruptor Carcinogen Group 3A - Evidence of carcinogenic edut not sufficient to establish MAK/BAT value Carcinogen Group 4 - Non-genotoxic carcinogen w		e of carcinogenic effect	

NICKEL RUTILE YELLOW	ID: 8007-18-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-24		
%: 0.00 - 30.00	GS: LT-1	RC: None	NANO: No	ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: See other material notes

ISOBUTYL ALCOHOL ID: 78-83-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-24		
%: 0.00 - 5.00	GS: BM-2	RC: None	nano: No	ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage		



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2018-

EXPIRY DATE:

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: All

CERTIFICATE URL:

08-10

CERTIFICATION AND COMPLIANCE NOTES: Not tested



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: LAURIER ARCHITECTURAL INC.

ADDRESS: 153, Laurier blvd, Laurier-Station Laurier-Station Quebec G0S 1N0, Canada

WEBSITE: http://laurier.net/

CONTACT NAME: Guillaume Jacob

TITLE: Plant Manager PHONE: 4187282023

EMAIL: gjacob@laurier.net

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer **DEV** Developmental toxicity **END** Endocrine activity **EYE** Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards **NEU** Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity **RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.